

This guide describes the PreViser[®] Clinical Suite

For further information, contact: help@previser.com P: 888.854.0007



Copyright © 2020 - 2021 PreViser Corporation. All rights reserved.

The information contained in this document is the exclusive property of PreViser Corporation and, except for use by the authorized persons, shall not be distributed, reproduced, or disclosed in whole or part without prior written permission from PreViser.

HIPAA / HITECH

Pursuant to the Health Insurance Portability and Accountability Act of 1996 (HIPAA), the Health Information Technology for Economic and Clinical Health Act of 2009 (HITECH), and all applicable regulations promulgated pursuant to HIPAA and HITECH, every reasonable effort has been made to ensure that no text or screen prints contain individually identifiable health information. Wherever possible, the information used is test data and fictitious in nature. If you have any concerns about the information contained herein, please contact your PreViser Account Manager or Privacy Officer.

Version History

Revision Level	Date	Description
5.0	02/2020	Original
5.2	06/2020	Added mobile shortcut, assessment import, emailing reports, and submitted to insurer sections. Updated encryption key section. Updated all screenshots.
5.3	12/2020	Added Health Questionnaires section and updated screenshots.
5.4	03/2021	Added: Home Care Report, Deleting Assessments, Forgot PIN, Privacy Mode, DOB as search criteria, Contextual Help, a What's Changed section to Comprehensive risk assessment. Updated all screenshots.
5.5	9/2021	Added: Clinical Inputs and Practice Reports
5.6	12/2021	Added December 2021 release features and modified existing screenshots to reflect the latest functionality. Added the <i>Enterprise Features</i> section.
5.9	03/2022	Changed screenshots to reflect modified Products dropdown; Added Health Questionnaire video link
5.10	06/2022	Changed screenshots to reflect modified PreViser.com site; Added section about hiding PHI in the Insurer section on the Patient page.




CONTENTS

Getting Started with the Clinical Suite	4
To Create a Shortcut on Your Desktop	5
To Create a Shortcut on Your iPad	6
Accessing the Clinical Suite	7
Lost Password, Username, or PIN	8
Time Out Feature	9
Using PreViser's Clinical Assessment	10
Search Function	10
Browse Patients page Privacy mode	
Creating Patients	
Edit Patient Information	
Patient Engagement Patient Verification	
Overall Assessment Information	
Pre-loading Values from Prior Assessments Health Questionnaires	
Importing Assessments from Other Practices	
NOTE: If the assessment code has been entered incorrectly, or is invalid, the following error message will be	
displayed:	
Performing an Assessment	23
Recent Assessments	-
Home Care Report (HCR)	
Overview	
Editing an individual Home Care Report Editing Home Care Reports for The Entire practice	
Deleting Assessments	
Report Overview	
Periodontal Disease Assessment	
Report Options - Perio	
The Perio Patient Report	
Caries Assessment	42
Report Options - Caries	43
Oral Cancer Risk Assessment	45
Report Options – Oral Cancer	45
Comprehensive Assessment	48
Return of Benefits	48
Check Benefits	48
Benefit Return Display:	
Additional Enhanced Benefits Information:	
Submitted to Insurer Status:	
Practice Reports	
Enterprise Features	
Customizing Individual Reports	
Customizing Assessment Defaults	
Patient Import	57



PreViser Analytics	61
Appendix A – Reports	65
Perio Report	
Caries Report	
Oral Cancer Report	67
Comprehensive Report	


GETTING STARTED WITH THE CLINICAL SUITE





To Create a Shortcut on Your Desktop

- 1. Right-click anywhere on your desktop.
- 2. Select New and then Shortcut.



- Enter <u>https://secure.previser.com/clinical</u> into the Shortcut address box.
- 4. Click Next
- 5. Enter the name of the Shortcut (PreViser Clinical Suite) into the box.
- 6. Click Finish.

You will now have a shortcut displayed on your desktop labeled **PreViser Clinical Suite**.





TO CREATE A SHORTCUT ON YOUR IPAD

 Open Safari on your home screen and enter <u>https://secure.previser.com/clinical</u> in the navigation bar:



- 2. Tap the Share Icon and tap **Add to Home Screen**.
- 3. Enter the name PreViser Clinical Suite and tap **Add**.

4. You can now easily access PreViser Clinical Suite on your Home Screen!





ACCESSING THE CLINICAL SUITE

When you launch the Clinical Suite from <u>https://secure.previser.com/clinical</u>, the log in page displays.

- Clicking on **MyAccount** redirects you to the MyAccount application for account management.
- Clicking on the question mark opens https://www.previser.com/support/ the PreViser Support website with links to documentation, videos, trainer resources, and support contact information.

Enter the Username , Password , and PIN you created when you registered.		My Account Products - @
Click Login to display the Browse Patients page.		Intercepting Disease
	Usernam	re
	Passwo	ord
	PIN	
		LOGIN
	Forgot pass	sword? Forgot username? Forgot PIN?



LOST PASSWORD, USERNAME, OR PIN

PREVISER® Intercepting Disease
Username
Password
PIN
LOGIN
Forgot password? Forgot username? Forgot PIN?

You can reset your password or retrieve your account username by entering the email address associated with your account.

PREVISER MyAccount	PREVISER MyAccount
Reset Password	Retrieve Username
Please use the email associated with your practice. You will receive a link to reset your password in that inbox	Please use the email associated with your practice. You will receive your username in that inbox
email	email
Continue	Continue
Return to Log In page	Return to Log In page

continued

To retrieve a lost PIN, enter the account username and the name of the person asking for the PIN.

PREVISER MyAccount	\equiv
Retrieve PIN	
Please enter the username associated with you or initials. All PIN numbers will be sent by emai for this account.	
Username	
Requested By	
Continue	
Return to Log In page	Forgot username?

TIME OUT FEATURE

To ensure compliance with HIPAA IT security requirements, users of the PreViser Clinical Suite will see a new pop-up appear after 10 minutes of data entry inactivity. If you do not click the **Continue** button, 10 minutes after that you will be automatically logged off the system.

If you are automatically logged off, *any unsaved data will be lost* and will need to be reentered to complete the assessment. If you believe you are going to be longer than 10 minutes away from data entry, be sure to click <u>Save for Later</u> so you do not lose any unsaved clinical data entered.

Status Activ	ve 🔻				
	Security Alert ×				
t↓ Mo	Due to inactivity, your session will time out in 9:56.				
02/	Any unfinished patient chart or risk assessment will not be saved. Click Continue below to return to PreViser before you are logged off.				
	If you are completing a risk assessment for a patient and you are going to be away from PreViser for longer than 10 minutes, be sure to click "Save for Later" so patient information is not lost.				
	Logout Continue				



USING PREVISER'S CLINICAL ASSESSMENT

Once you are logged in successfully, the Browse Patients Home page displays:

Search	Status Active	Hide Names		
Show 6 🗢 entries				
Patient Name	Date of Birth	Most Recent Exam $\uparrow \downarrow$	Notes	î↓
Patient, Test	01/02/1960		Patient presents as a 60 year	
Person-Added, Second	02/14/1988	02/22/2021		
Showing 1 to 2 of 2 entries				
			Previous	1 Next

SEARCH FUNCTION

To search by Patient Name or Notes: type a whole or partial word in the Search field. The search filter works immediately as you enter the characters.

To search by Date of Birth: Type the full or part of the birthdate in dd/mm/yyyy format. The search filter works immediately as you enter the characters.

BROWSE PATIENTS PAGE PRIVACY MODE

You can 'hide' patients' names to only show the patients' initials.

This enhances HIPAA compliance for offices by hiding protected health information if the computer monitor can be viewed by patients.

Browse Patients						
Search Status Active Hide Names						
Show 6 🜩 ent	ries					
Patient Name	î↓ (Date of Birth	ţ↓	Most Recent Exam		
P, T	(01/02/1960				
P, S	()2/14/1988		02/22/2021		
L Showing 1 to 2 of 2 entries						



CREATING PATIENTS

In order to assess a patient, a PreViser patient record must be created.

Click the **New Patient** button on the Home Page:

PREVISER Clinical Suite	🛎 Patients 👻 🖬 M	ore • 🙎	Products 🕶			
Browse Patients	🖶 Browse Patients	Import Patients		New Patient		
browse rationts	L+ New Patient		_			
	Import Patients					

(Another way to do it is to click the Patients tab at the top, then click the New Patient option.)

	PREVISER Clinical Suite	🚢 Pat	ents 👻 🕂 More 👻	4	▼ Products ▼ 🚱
The Patient Information page displays.	Creating Patient				Save Patient
uispiays.	Patient Information	Insurer Informat	on		
This page and the Insurer Information	First Name*		Patient Notes		
page are all you need	Last Name*				
to create your patient.	Gender Male	•			
	Date of Birth* mm/dd/yyyy	= 🗰			
	Phone Number	e.			
	Email (Parent's if under 18)				
	Privacy End User License Agreeme	ent			Copyright PreViser 2003-2021

continued

Fill in the Patient Information fields:

Important! Fields without an asterisk are not submitted to the insurance carrier, i.e., any notes added to the Patient Notes section are not viewable by the insurance carrier.

First Name*	Required.	
Last Name*	Required.	
Gender	Dropdown select Male or Female	
Date of Birth*	Required, mm/dd/yyyy format	
Phone Number		
Email	Parents if under 18	
Patient Notes		




Click the **Insurer Information** tab and select the insurer of that patient from the dropdown list.

Note: The contents of the page will change depending on the company you select.

If you do not see the insurer, or if the patient is uninsured, select **None/Other** from the dropdown list.

Click the **Save Patient** button.






EDIT PATIENT INFORMATION

Once a patient has had assessments performed and you select them on the Browse Patients page, the *Patient Details* page will look similar to this:

The *Patient Notes* section will only display if notes have been added.

You can choose to hide or display the patient data, such as Subscriber Number, Group Number or Relationship, in the *Insurer Information* section on the *Patient* page by clicking on the **Show / Hide** icon.

PREVISER Clinical Suite	📽 Patients 🔻	🛨 More 👻 🗧 🙎				0
					Edit Patient	
Insurer Information	Show		1	New Assess	sment	
PreViserQa					ehensive and Oral Cancer	
Enhanced Benefits Group Participates Individual Qualifies	HOW			Pe	erio	ſ
CARIES INDIVIDUAL QUALIFIES PERIO	HEALTH through ORAL WELLNESS			Ca	ries	
INDIVIDUAL QUALIFIES				Oral	Cancer	
				Health Que	estionnaires	
Recent Assessments				Import As	sessments	
Perio Caries Exam Date: 06/09/2022 Exam Date: Submitted On: 06/09/2022 Submitted O	04/25/2022 Dn: 04/25/2022	Perio Exam Date: 04/25/2022 Submitted On: 04/25/2022	F	Patient Not	es	
4 24 3 5	10	3 _16 1				






If you need to update the patient's demographic or insurance information, or make them inactive in the Clinical Suite, you can do so by clicking **Edit Patient**, making the update, and clicking **Save**.

Cediting Patient	lenge i		
Patient Information	Insurer li	nforma	tion
Is Patient Active?	Yes	No	Patient No
First Name*			
ast Name*			
Gender Male		•	
Date of Birth* 04/28/1948		Ē	
Phone Number		د	
Email (Parent's if under 18)			
rivacy End User License Agreeme	nt		



PATIENT ENGAGEMENT


If the provider selects an insurance company from the dropdown list, the provider has an opportunity to collect the patient's email address. This will allow the insurance company to send targeted messages to the patient based on the patient's risk and severity scores. To enable this feature, you must check the box to confirm that the "patient wishes to receive additional information about their oral health," and enter the patient's email address:



PATIENT VERIFICATION

When an insurance company is selected, the Clinical Suite can verify the data that you enter with the information the insurance company has on file, if the insurer has established the necessary connection to the Clinical Suite. This can vary from one insurance company to another.


If you enter information that does not match that which is in the insurance company's records, a message will display with information about what to do next:



Once the patient details page has been populated, click **Save.**

If you selected **None/Other** for the insurance status, you will be prompted to verify the patient is uninsured:

Once you confirm this status, an alert message will confirm that your patient was created successfully and saved





OVERALL ASSESSMENT INFORMATION

Select a patient you created and click one of the New Assessment choices on the Patient Details page to open and start a new **Comprehensive, Periodontal, Caries**, or **Oral Cancer** Assessment:

< ₩ 02/14/1988 .	5555551213 🖂			Edit Patient
Insurer Informa	ition			New Assessment
PreViserTest Subscriber ID: 12345678900)			Comprehensive Perlo, Carles, and Oral Cancer
Relationship: Self				Perio
Check Benefits				Caries
Recent Assessm				Oral Cancer
Perio Exam Date: 02/22/2021 Submitted On: 02/22/2021	Caries Exam Date: 02/22/2021 Submitted On: 02/22/2021	Caries Exam Date: 02/18/2021 Submitted On: 02/18/2021	Perio Exam Date: 02/18/2021 Submitted On: 02/18/2021	Health Questionnaires
2 3 0 Risk Disease Stability	5 37 Risk Disease	5 37 _{Risk} Disease	1 2 0 Risk Disease Stability	Import Assessments
Oral Cancer Exam Date: 02/18/2021 Submitted On: 02/18/2021				
1 Risk	ß			

PRE-LOADING VALUES FROM PRIOR ASSESSMENTS

After the first risk/restorative needs assessment has been done for any of the assessment types, the Clinical Suite allows you to pre-load previously entered values from a previous assessment.

In the example above, two recent Caries assessments are shown. When you click on **Caries** under New Assessment, you are given the option of starting a completely new assessment or loading the most recent values so you can update them:

Preload Last Assessment Caries	Start New	Load Last Values
Last Assessment		
Last Caries Assessment on 02/22/2021		

If a Health Questionnaire has been completed for the given patient, it can be also selected to prepopulate the assessment answers.

Preload Last Assessment Perio	Start New	Load Last Values
Last Assessment		
Last Perio Assessment on 11/08/2021		
Last Health Questionnaire on 11/15/2021		

This saves time as it allows you to only address clinical conditions that have changed since the last assessment.



None of the assessment answers will be prepopulated if the *Last Assessment* and *Last Health Questionnaire* check boxes are unchecked, or if the Start **New button** is clicked.



HEALTH QUESTIONNAIRES

A health questionnaire contains assessment questions the patients can fill out themselves before being assessed by the clinician. This saves time and allows patients to be more interactive with their own oral health.

To create a health Questionnaire, or view the existing questionnaires, first select a patient from the patient list, view the *Patient Details* page and click the **Health Questionnaires** button:

C P , T U4/28/1948 J 603 S	Edit Patient
Insurer Information	New Assessment
PreViserTest Subscriber ID: 1234567890	Comprehensive Perio, Carles, and Oral Cancer
Relationship: Self	Perio
Спеск веленть	Caries
Recent Assessments	Oral Cancer
Caries Perio Oral Canc Exam Date: 02/02/2021 Exam Date: 02/02/2021 Submitted On: 02/02/2021 Submitted On: Submitted On: 5 13 1 0 3	Health Questionnaires
Risk Disease Risk Disease Stability Risk	Import Assessments

The <i>Health</i> <i>Questionnaires</i> page is displayed.	K # 09/09/1988	Edit Patient
You can click on the	Recent Questionnaires	New Questionnaire
HOW DO I USE THE HEALTH	None	Open on a Different Device
QUESTIONNAIRE? link to view a		HOW DO I USE THE HEALTH QUESTIONNAIRE?
video explaining how to use it.		



You can email the Health Questionnaire the week, day, or any time before the patient's appointment in order to make the chair-side experience quicker and more productive.

St Health Questionnaire for	× 1(
A health questionnaire allows your patient to provide Oral Health Information the can be used in a Clinical Risk Assessment.	at a
Send a blank health questionnaire to:	
Email	
Cancel Send	



Patients can also scan the Quick Response code with their smart phone or tablet to access the Health Questionnaire.





Sample questionnaire

() Yes	No I don't know
Do you d	Irink fluoridated water?
⊖ Yes	O No O I don't know
Do you u	se any fluoride products?
◯ Yes	No I don't know
Have you	used any chlorhexidine oral care products for at least 1 week per month for last 6 months?
⊖ Yes	No I don't know
Have you	used any xylitol oral care products 4 times daily for the last 6 months?
⊖ Yes	No I don't know
Have you	i used calcium & phosphate toothpaste in the last 6 months?
⊖ Yes	No I don't know
Do you d	Irink alcohol or recreationally use drugs?
Ves	O No O I don't know
	ave or have you ever had oral cancer?
Do you s	moke, or have you ever smoked cigarettes?
	○ No
	moke, or have you ever smoked Cigars or Pipes?
() Yes	○ No
-	ise or have you ever used smokeless tobacco? ◯ No
How ofte	e n do you drink alcohol? er OLess than 1 drink per day O1 drink per day O2 drinks per day O3 or more drinks per day OI don't kr
	rour diabetic status? not have diabetes good control fair control poor control I don't know
	Back Delete Submit



IMPORTING ASSESSMENTS FROM OTHER PRACTICES

If a new patient comes to your practice from an office that uses PreViser and has performed PreViser assessments in the past, you are able to use that previous data. You can ask that patient to bring in an old report or you can reach out to the patient's former dental provider and ask for the Clinical Access Code which is located below the "What Can I Do?" section of any of that patient's reports.

Assessment for Comprehense	Ive	Correct 💽 Share 🔻
	What Can I Do?	
	Your participation is very important. The most common behaviors that influence health and treatment success are oral hygiene, nutrition, and smoking. You may receive advise, including resources for you to change to health-promoting behaviors.	Visit the Dentist more frequently. Regular visits to the dentist to detect disease in the early stages can prevent more complex and expensive treatment. Better still are regular visits for preventative care targeted to your risk factors.
9	When to seek help If you notice a red or white patch, ulcer, lump, or pain in your weeks, it is a good idea to point this out as soon as possible t off. The longer you wait the more complex and expensive the problem is cancer, the worse your outcome may be.	
	Your Clinical Access Code: FFHMDCN3	A

Once you receive that access code, click **Import Assessments** on the patient page:

Type in or copy/paste the Clinical Access Code and click **Import**.

	Edit Patient
Insurer Information	New Assessment
PreViserTest Subscriber ID: 1234567890	Comprehensive Perio, Carles, and Oral Cancer
Relationship: Self	Perio
	Caries
Recent Assessments Caries Perio Oral Cancer	Oral Cancer
Exam Date: 02/02/2021 Exam Date: 02/02/2021 Exam Date: 02/02/2021 Submitted On: 02/02/2021 Submitted On: 02/02/2021 Submitted On: 02/02/2021	Health Questionnaires
5 13 1 1 0 Risk Disease Stability Risk	Import Assessments

				Products -	8
ments					
from any clinical assess	ment that was performed	for this patient. <mark>More info</mark>			
	ments from any clinical assess		ments from any clinical assessment that was performed for this patient. More info		

The top of the following page should display how many assessments imported successfully:

Successfully imported 1 assessment(s) with code:



NOTE: If the assessment code has been entered incorrectly, or is invalid, the following error message will be displayed:

We were not able to locate a patient record associated with the Code you have entered. Please update your try again.	entry and
Import Assessments For	
Import PreViser clinical assessments that were performed for this patient by another office. More info	
Clinical QQQI Access Code	
Import	

The patient birth date and is also confirmed when an assessment is being imported. If it is different than that of the patient the assessment was originally entered for, the following message is displayed:

This patient's date of birth does not match the one associated with the Code: FFHMDXNB8W. Please verify patient's date of birth and the Code entered are correct and try again.	that the
Import Assessments For Tester, 1	
lmport PreViser clinical assessments that were performed for this patient by another office. More info	
Clinical FFH Access Code	
Import	

PERFORMING AN ASSESSMENT

If any of the assessments are selected (Caries is used as the example below) and you begin the assessment, the following page displays:



 New Assessment to Caries 	for Test Patient		Model This Patient	Save for Later	Submit
Exam Date 03/09/2021	0 🗰	Prepared By		esponsible Clinician	•
				lease select the dentist resp atient's care from the list	oonsible for this
1 or more teeth ha	ave an exposed roo	t 🕕			
Yes No					
How many months	s has the patient be	een without primary cari	es or an incipient cario	us lesion? 🕕	
36 or more 24-3	35 12-23 1 or r	nore teeth has had carles ir	the last 12 months		

Exam Date	The date the assessment was performed. The current date is the default. Generally, this is going to be within a day or so of when the assessment data is entered. However, clinicians may wish to create a record of the patient's PreViser scores by entering data from prior examinations. You can adjust the exam date to reflect the prior dates with corresponding clinical information for those dates.			
	<i>Note:</i> if the exam date is more than 90 days in the past for a finished assessment, the Correct function is disabled.			
Prepared By	The person who is performing the assessment. Will match the clinician logged in to the Clinical Suite with their PIN.			
Responsible Clinician	This is the clinician who is ultimately responsible for the care of the patient, typically a dentist or independent practicing hygienist.			
i Contextual help for all clinical assessment questions	Select the 'i' icon next to the questions for additional clarification.			
Submit	When selected, the data you have recorded will be submitted to the PreViser web service and a patient report will be returned, including the Report Settings you selected. If an insurance company has been entered and successfully saved, the scores will also be sent to the patient's dental insurance company.			
Save for Later	This option allows the unfinished assessment to be saved without submitting and for the clinician to come back to finish at a later time.			
Model this Patient	This is a hypothetical option. When selected, the assessment is not saved. This is a tool you may use to demonstrate to patients what they can do to improve their scores.			



RECENT ASSESSMENTS

Once a patient has been assessed and you return to the patient page for that person, a new section will appear on this page that shows all prior assessments. Example:

Citizen, New <u>₩</u> 05/25/1995	Edit Patient		
nsurer Information		New Assessment	
PreViserTest Subscriber ID: 1234567654321		Comprehensive Perio, Carles, and Oral Cancer	
Group Number: 12 Relationship: Self		Perio	
Check Benefits		Caries	
ecent Assessments		Oral Cancer	
Caries Perio Exam Date: 03/09/2021 Exam Date: 03/09/2021	Oral Cancer Exam Date: 03/09/2021	Health Questionnaires	
Submitted On: 03/09/2021 Submitted On: 03/09/2021 5 17 2 3 0 Risk Disease Risk Disease Stability	Submitted On: 03/09/2021 1 Risk	Import Assessments	


The type, date, and scores for the assessment are shown, where:

Risk = the risk of the patient for the disease type; and

Disease = the restorative needs or periodontal disease severity scores;

Stability = is the periodontal disease stability score for the patient.

If the assessment was **imported**, the imported date will be indicated on the assessment:



Perio Exam Date: 12/27/2019 Last Updated: 12/27/2019 Unfinished

patient report. Accessed through the top navigation bar, the **Saved**

Where **Unfinished** appears instead of scores, this will be an assessment that was not completed but saved to complete later.

Note: If you select to *Model This Patient*, the assessment will not

appear in this section because modeled assessments are not recorded

in the PreViser database and disappear once you close the modeled

Accessed through the top havigation bar, the Saved Assessments link gives access to all assessments you selected to Save for Later rather than Modeling or Submitting the assessment.







Example:

arch					
Assessment Date	Patient Name	ţ1	Prepared By	Туре	
2/18/2021	Patient, Test			Perio	Delete

Click **Assessment Date** to display the data input page for the unfinished assessment. You can then provide the missing information before submitting the assessment by clicking **Submit**. Alternately, you can delete the unfinished assessment by clicking the **Delete** button.



HOME CARE REPORT (HCR)

OVERVIEW

Professional recommendations for self-care and home care products are a critical component in optimizing patient oral health outcomes. If your Settings have the **Enabled** button checked for the Home Care Report, your Caries, Perio and Comprehensive assessments will display a **Home Care Report** button.

Options / Settings	
General Options	
Home Care Report (Product Recommendations)	Enabled Edit Recommendations

Click the **Home Care Report** button at the top of assessments to display home health care product recommendations. These are personalized oral care products based on the patients' risk and disease scores.

Assessment for New Citizen Comprehensive	🕼 Edit ▾ 💽 Share ▾
My Dental Practice (603) 555-1488 STenny Lane Concord, NH 03302	Exam Information Prepared For: New Citizen Prepared By: Exam Date: 03/09/2021 Submitted To: PreViser Test 03/09/2021 2:09 PM
	Check Benefits Home Care Report

Recommendations that are automatically made when both perio and caries risk scores are present use the following logic:

- Whatever the highest risk is, use the recommendations for that risk category.
- If both perio and caries risk scores are the same value, use the caries risk product recommendations.



For the initial launch of the Home Care Report, PreViser collaborated with Colgate, who provided images and text to go along with the products that they believe you might consider for a given risk and product category.


However, you are free to recommend any alternative product you think best for your patients.

Click the **Customize** button to further customize care plans.

My Dental F (603) 555-14 STenny Lan Concord, Ni	38	Exam Information Prepared For: New Citizen Prepared By: 2 Exam Date: 03/09/2021		
Our home care product rec	ommendations are generally based ollowing products will likely help you e: 5	ppropriate home of on the highest risk score calculated for yo maintain the best oral health possible an	u based on your	examination.
Toothpaste AM: Colgate® TotalSF	Fights harmful bacteria on 10 relief. *Colgate Clinical Repor	00% of mouth surfaces*. Now with sensitiv t 20180316BAC	ity	Colgate Total
Manual Brush COLGATE® 360® TOOTHBRUSH	removes more Bacteria. Mult	leaning the teeth, tongue, cheeks and gu ii-level bristles to remove more plaque in ing tip cleans hard-to-reach places.	ns and	÷.
Prescription Toothpaste PM: 5000 PPM RX TOOTHPASTE	decay and cavities. To help p prescription level fluoride too protect against the effects of toothpaste as prescribed cou	factors your teeth are more vulnerable to rotect against further decay, brushing wit othpaste daily helps strengthen tooth ena f decay causing acids. Using a 5000ppm Jld benefit your oral health by: Fewer area ewer cavities, reduced fillings.	h a mel to	
ur statements to your treating der ubstitute for professional judgme	tist or hygienist. These product recommenda	ting dentist and/or hygienist based on his or her clir tions are not prescriptions, nor are they intended to V/ser Corporation nor the product manufacturer(s)	establish a standard	of care. They are



EDITING AN INDIVIDUAL HOME CARE REPORT





Changes to a specific patient's report will be tracked only with that patient's associated risk assessment. However, if the logged in user is designated as an Admin of the account, they can change the default product recommendations for <u>all</u> Home Care Reports in the Settings menu.

Customize Toothpaste Recommendat	ion
Customize roompaste Recommendat	
Product	
Colgate® TotalSF (For Perio Risk 1,2)	
Description	
Fights harmful bacteria on 100% of mouth su	faces*. Now with sensitivity relief. *Colgate Clinic
Fights harmful bacteria on 100% of mouth su Report 20180316BAC	faces*. Now with sensitivity relief. *Colgate Clinic
0	
Report 20180316BAC	

Alternatively, the user can browse to *More > Settings* and click on the **Edit Recommendations** button:

Options	/ Settings	
General Options	Assessment Defaults	
Home Care Report (P	roduct Recommendations)	Enabled Edit Recommendations

EDITING HOME CARE REPORTS FOR THE ENTIRE PRACTICE

When Edit Recommendations is selected, the following screen will display:



Change the default product recon	nmendations that appears on ALL Home Care Reports. More info
Our home care product recomm	ndations for appropriate home care products endations are generally based on the highest risk score calculated for you based on your examination. ng products will likely help you maintain the best oral health possible and avoid future disease.
Toothpaste Recommended Product	Customize Toothpaste Recommendations
Mouth Rinse Recommended Product	Customize Mouth Rinse Recommendations
Manual Brush Recommended Product	Customize Manual Brush Recommendations
Power Brush Recommended Product	Customize Power Brush Recommendations
Interdental Device Recommended Product	Customize Interdental Device Recommendations
Prescription Rinse Recommended Product	Customize Prescription Rinse Recommendations
Prescription Toothpaste Recommended Product	Customize Prescription Toothpaste Recommendations
Additional Note:	s
	mize dialog after a home care report is created.
our statements to your treating dentist or	hygienist. These product recommendations are not prescriptions, nor are they intended to establish a standard of care. They are not ce, diagnosis, or treatment. Neither PreViser Corporation nor the product manufacturer(s) make any warranty, express or implied, as

There are seven different product categories you can hide or optionally suggest as beneficial for a given risk category – Toothpaste, Mouth Rinse, Manual Toothbrush, Power Toothbrush, Interdental Device, Prescription Mouth Rinse, and Prescription Toothpaste

Click anywhere inside the purple dotted lines to make the appropriate changes.

Inside the different product categories, you have the option of making product recommendations for six risk categories –

caries risk 1 or 2 (very low and low), caries risk 3 (moderate), caries risk 4 or 5 (high and very high), perio risk 1 or 2 (very low and low), perio risk 3 (moderate), perio risk 4 or 5 (high and very high).



	scription Tooth	oaste Recommei	ndations				×
Caries Risk 1,2	Caries Risk 3	Caries Risk 4,5	Perio Risk 1,2	Perio Risk 3	Perio Risk 4,5		
Default Recommer	ndation						
PreViser Recomm	mendation						~
Product Name							
Product Descriptio	n						
							1
Hide Section	Reset to PreVise	er Default				Cancel	Save

At the top of this page, you'll see the different risk categories arranged as tabs on the page. You can alter the recommendation for a risk and product category by selecting **My Practice Recommendations** from the dropdown menu.

Default Recommendation	
My Practice Recommendation	~
None (Don't Show)	
PreViser Recommendation	
My Practice Recommendation	

Within each risk category are the seven product categories that allow you to manage in one of three ways:

Hide Section removes the section completely.

Reset to PreViser Default returns to the recommendation Colgate has made for the products they believe are appropriate for the risk category.

Cancel closes the page without saving any changes.

You can also customize a **Product Description**.

DELETING ASSESSMENTS

An assessment may be permanently deleted by clicking the *Delete* menu entry of an assessment.



Caution: This action cannot be undone.




A reason for deleting an assessment must be provided. Select either Incorrect Patient or Other.

Prepared For- Test Patient	
Delete Assessment ×	Delete Assessment ×
This will delete the Assessment from PreViser Clinical Suite and recall it from the Insurer. Please select or enter a reason for deleting this Assessment.	This will delete the Assessment from PreViser Clinical Suite and recall it from the Insurer. Please select or enter a reason for deleting this Assessment.
Reason:	Reason:
Select reason Incorrect Patient	Other +
Other	
Are you sure you want to delete this Assessment? This action cannot be undone.	
I am sure Cancel Delete	Are you sure you want to delete this Assessment? This action cannot be undone.
Restorduve needs	Cancel Delete

If you select **Other**, a text box where you can supply your own explanation opens.

Enter the reason for the deletion, check the **I** am sure box to enable the Delete button.



Click the **Delete** button.

If the patient has the Insurer selected, a notification will be sent to the that insurer that the assessment was deleted.

Note: Assessments can be deleted within 90 days of the submission.



REPORT OVERVIEW

After assessments have been performed, clinicians are able to view the reports anytime, whether the assessment was just performed or is an older one selected from the **Recent Assessments** list on the *Patient Details* page.

<u>₩</u> 05/25/1995 J 5555554434 💌	Edit Patien
surer Information	New Assessment
PreViserTest	Comprehensive Perio, Caries, and Oral Cancer
Ubscriber IU: 124369/63421 iroup Number: 12 elationship: Self	Perio
Check Benefits	Caries
ecent Assessments	Oral Cancer
artes Perio Oral Cancer Exam Date: 03/09/2021 Exam Date: 03/09/2021 Exam Date: 03/09/2021	Health Questionnaires
Submitted On: O3/09/2021 Submitted On: O3/09/2021 5 17 2 3 1 sk Disease Rake Lipesase Stability Bitk	Import Assessments
NX USease KOK USease Stability KOK	

Assessment Report Header

The top of the report includes the assessment type (Caries is used as the example below) and name of the patient as well as other information and functionality:

Assessment for Sa Caries	ara Tester 🖨 Language	► 🕑 Ed	it •	💽 Share 🛪	
(604) 78 Pr Conc	of August 111-2222 reViser Way cord, HI 03303	0/25/2021 8:31 AM e Care Report	Clinical Ing	puts	
<	Click this link at the top of the report to r the patient being assessed.	eturn to tl	he Patie	ent Details	page for
Your Image	An image meeting specifications (refer to MyAccount document) will display on the an image of the dentist, staff, or the offic	e patient r			
Edit/Correct	To correct an error made while entering the clinical observations, click Edit then click Correct to return to the form and make your changes. Click Submit to resubmit the assessment. A corrected report will replace the incorrect one when the data is sent to an insurance company for oral health communication or benefit determination.	Correct Custom Delete		m Crੇ Sh	are ▼



Edit/Delete	the past can be deleted by clicking on the <i>Edit</i> > <i>Delete</i> link. NOTE : the insurance company the given patient is associated with can opt out of this functionality.			ি Share ▼
Edit/Customize	Each individual assessment r be customized by the clinicia clinking on the <i>Edit > Custom</i>	n by	Correct Customize Delete	양 Share >
Share/Print	Click Share then click Print to report to a printer.	o direct the	C° Edit ▼ Print Emai	
Share/Email	Click Share , then click Email , then OK to email reports to patients. Note: The email address defaults to the one on file for the currently selected patient. You can type over the default address to direct it to another address. Click OK to acknowledge the successfully sent message.	Email Assessmer	ctice.com Cancel	X Ok X
Language drop- down	Click on the Language drop-down to select the language. Available choices are English and Spanish. The language selection is available for all the PreViser assessment kinds.	Exam Infor Prepared For: S Prepared By: Exam Date: 10)/25/2021 reViser QA 10/25/2021 8:31 AM	C Share -



Clinical Inputs

After you have completed a risk assessment, the Clinical Inputs can be displayed in full, easily accessed, and printed. This is a simple, but effective way to evaluate the oral health data of your patients and calibrate clinical input from clinicians.

The Clinical Inputs can be viewed in English or Spanish, depending on the option selected by clicking the **Language** drop-down.

Clinical Inputs can be also printed in the selected language by clicking the **Print** button.

Responses for Sara Tester Clinical Inputs			🖶 Language 🔻	Print
End of August (604) 111-2222 78 PreViser Way Concord, HI 03303	5	Exam Information Prepared For: Sara Tester Prepared By: Communication Exam Date: 10/25/2021		
	Caries Asses	ssment Responses		
eeth		Treatment History and Considerations		
1 or more teeth have an exposed root. How many months has the patient been	[No]	Dental care frequency is NOT as regular as advised	[No]	
without primary caries or an incipient carious lesion?	[36 or more]	Development problems or special health care needs	[No]	
Bacteria culture includes elevated MS and/or LB level?	[No culture or test is available]	Teeth have been extracted due to caries in last 36 months	[No]	
How many erupted teeth are present in the oral cavity?	[20]	Fluoride varnish applied in last 6 months	[No]	
How many natural teeth have any type of restoration, including crowns and	[0 (None)]	Has orthodontic appliance, space maintainer, or obturator	[No]	
veneers?		Questions the patient can answer		
How many natural teeth currently require treatment because of caries or a defective restoration?	[0 (None)]	Snacks or beverages containing sugar are consumed between meals 4 or more times per day	[No]	
How many natural teeth have primary	[3 or more]	Patient drinks fluoridated water	[No]	
caries or an incipient caries lesion?	-	Nonprescription or prescription fluoride products other than water are used	[No]	
Oral hygiene improvement is needed	[Yes]	Chlorhexidine used for at least 1 week	[No]	
Dry mouth or inadequate saliva flow	[No]	per month for last 6 months Xylitol products have been used 4 times daily for last 6 months	[No]	
		Calcium & phosphate toothpaste have been used during last 6 months	[No]	
		Recreational drug/alcohol use	[No]	
		Has had a major change in health (heart attack, stroke, etc.) during the past 12	[No]	

PERIODONTAL DISEASE ASSESSMENT

From the Patient Details page, you can perform a periodontal disease risk and severity assessment by clicking the **Perio** link.



Fill out the information required to perform a periodontal disease risk and severity assessment.

Click Submit.

	— —	Prepared			Plea	sonsible Clinician ase select the dentist res ient's care from the list	ponsible for this
	- 1.1				pati	ent's care from the list	
Cigarette Sm Has the patient sm	-	? 🚯					
Never Smoked							
Diabetic Sta		Control	Fair Control	Dana Cantral			
HbA1c (%)		Good Control	Fair Control 6.5 - 7.5	Poor Control Greater than 7.5			
AM fasting plasma gluci	ose (mg/dl) 9	90 - 104	105-130	Greater than 130			
Status 🕕							
Not diabetic or un	known Good dia	abetic control	Fair diabe	tic control Poor d	iabetic co	ontrol	
Check all that appl	ly 🕕						
_	mprovement is nee	eded		Dental care	frequenc	y is NOT as regular a	as advised
Scaling and roo	ot planing for any t	tooth has bee	n done	Periodontal	surgery f	or pockets has beer	a done
Furcation invol	lvements exist			Subgingival i	restoratio	ons are present	
Vertical bone le	esions exist			Subgingival	calculus o	detected by x-ray or	exam
Deepest Pocket Pe	er Sextant from th		Aargin to the	Base of the Sulcus		er Left	
Less than 5 mm		Less th	han 5 mm		Less	s than 5 mm	
5-7 mm Greater than 7 mm			er than 7 mm			ater than 7 mm	
No teeth		No tee	eth		Not	teeth	
Bleeding				11 1 1#	# #	Bleeding	
Lower Right			Anterior	71111#		er Left	
Lower Right Less than 5 mm 5-7 mm		Lower S-7 mg	Anterior m		Low Ess 5-7	er Left s than 5 mm mm	
Lower Right Less than 5 mm		Lower S-7 mg	Anterior man 5 mm m than 7 mm		Low Ess 5-7 Gre	er Left s than 5 mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm		Lower Less th S-7 mr Great No tee	Anterior man 5 mm m than 7 mm		Low Ess 5-7 Gre	er Left s than 5 mm mm ater than 7 mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth		Lower Less th S-7 mr Great No tee	Anterior nan 5 mm n rt than 7 mm eth		Low Ess 5-7 Gre	er Left s than 5 mm mm ater than 7 mm teeth	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Xray Distance from	n CEJ to Bone Cre	Lower Eess th Grant No tee	Anterior nan 5 mm n rt than 7 mm eth		Low Ess 5-7 Gre	er Left s than 5 mm mm ater than 7 mm teeth	
Lower Right Least than 5 mm 5-7 mm No teeth Bleeding Xray Distance from Weasured	,	Lower S-7 m Graat No tee E E E E	Anterior nan 5 mm n rt than 7 mm eth		Low Ess 5-7 Gre	er Left s than 5 mm mm ater than 7 mm teeth	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Kray Distance from deasured .ess than 2 mm -24 mm	n CEJ to Bone Cree Visual Normal bone h Between norm	Lower S-7 mr Grade No tee test • reight al and excessive	Anterior nan 5 mm m tth Bleeding		Low Ess 5-7 Gre	er Left s than 5 mm mm ater than 7 mm teeth	
Lower Right Less than 5 mm 5-7 mm Roteeth an 7 mm No teeth Bleeding Kray Distance from Measured Less than 2 mm 2-4 mm Frester than 4 mm	n CEJ to Bone Cree Visual Normal bone h	L & X & X & X & X & X & X & X & X & X &	Anterior Tan 5 mm tr than 7 mm th 3Bleeding		Low Less 5-7 Gre No 1	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding	
Lower Right Less than 5 mm 5-7 mm 76 reater than 7 mm No teeth Bleeding Bleeding Kray Distance from deasured ess than 2 mm Sreater than 4 mm Upper Right	n CEJ to Bone Cree Visual Normal bone h Between norm	Lower Comparison	Anterior e Anterior Anterior		Low Control Co	er Left s. than 5 mm mm ater than 7 mm teeth Bleeding er Left	
Lower Right Less than 5 mm 5-7 mm 6-7 mm No teeth Bleeding Bleeding Kray Distance from 4easured ess than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm	Lower Comparison	Anterior m sr than 7 mm th Bleeding e Anterior m nan 2 mm m		SA Cow Esso S-7: Gre No No Do Do Do Do Do Do Do Do Do Do Do Do Do	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bieeding Kray Distance from Measured Less than 2 mm Greater than 4 mm Upper Right	n CEJ to Bone Cree Visual Normal bone h Between norm	Lower Erst Control of the second of the sec	Anterior man 5 mm m than 7 mm sth Bleeding e Anterior m m r than 4 mm eth		Low Construction of the second	er Left s. than 5 mm mm ater than 7 mm teeth Bleeding er Left	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Xray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm. Excessive bone	Lower Construction No tee Construction No tee Construction Loss to Construction Con	Anterior man 5 mm m tr than 7 mm tth Bleeding e Anterior an 2 mm tth th th th th th th th th th th th th	77777	Low Construction of the second	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Xray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm. Excessive bone	Lower Construction No tee Construction No tee Construction Loss to Construction Con	Anterior man 5 mm m tr than 7 mm tth Bleeding e Anterior an 2 mm tth th th th th th th th th th th th th	77777	Low Construction of the second	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Xray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower S-7 mr Great No tee Est Height Haal and excessive Hoss Hoss Hoss Hoss Hoss Hoss Hoss Hos	Anterior man 5 mm m tr than 7 mm sth Bleeding e Anterior m m th th th th th th th th th th th	77777777777777777777777777777777777777	Low R R R R R R R R R R R R R R R R R R R	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Xray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower S-7 mr Great No tee Est Height Haal and excessive Hoss Hoss Hoss Hoss Hoss Hoss Hoss Hos	Anterior man 5 mm m tr than 7 mm sth Bleeding e Anterior m m th th th th th th th th th th th	77777777777777777777777777777777777777	Low R R R R R R R R R R R R R R R R R R R	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Kray Distance from Measured Less than 2 mm 2-4 mm Greater than 4 mm Voper Right Eass than 2 mm Greater than 4 mm No feeth	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower Lower Great No tee S-7 mr Great No tee No tee S-7 mr Great No tee S-7 mr Great No tee S-7 mr Great No tee S-7 mr Great No tee S-7 mr Great No tee S-7 mr Great S-7 mr S-7	Anterior nan 5 mm m tr than 7 mm sth Bleeding e e Anterior m than 2 mm m than 2 mm sth th th th th th th th th th th th th t	77777	Upp Soft Soft Soft Soft Soft Soft Soft Soft	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left s than 2 mm mm ater than 4 mm feeth	
Lower Right Less than 5 mm 5-7 mm 6-7 mm No teeth Bleeding Bleeding Kray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm No Teeth	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower	Anterior	77777777777777777777777777777777777777	Low Dep S-7- Gree No	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Kray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Voper Right Dess than 2 mm Greater than 4 mm No Teeth	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower Lower S-7 m Great No tes To S-7 m Great No tes Ess m Lower Lower Lower No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant Constant No X-F Solution Constant	Anterior Than 5 mm m r than 7 mm sth Bleeding e Anterior r than 4 mm sth p r than 4 mm sth P Anterior Anterior Anterior Anterior	77777777777777777777777777777777777777	Upp Escalar Second Control Con	er Left sthan 5 mm mm ater than 7 mm teetth Bleeding er Left sthan 2 mm mm ater than 4 mm Teetth er Left sthan 2 mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bieeding Bieeding Kray Distance from Weasured Less than 2 mm 2-4 mm Greater than 4 mm Upper Right Less than 2 mm 2-4 mm Greater than 4 mm No Teeth Lower Right Less than 2 mm 2-4 mm	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower Lower S-7 m Great No tes To S-7 m Great No tes Ess m Lower Lower Lower No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant No X-F Solution Constant Constant No X-F Solution Constant	Anterior m than 7 mm sth Bleeding e Anterior m n e Anterior nan 2 mm n r than 4 mm eth	77777777777777777777777777777777777777	Low Reserved Action of the second sec	er Left sthan 5 mm mm ater than 7 mm teetth Bleeding er Left sthan 2 mm mm ater than 4 mm Teetth er Left st an 2 mm mm	
Lower Right Less than 5 mm 5-7 mm Greater than 7 mm No teeth Bleeding Kray Distance from Uses than 2 mm 2-4 mm Greater than 4 mm Upper Right Ess than 2 mm 2-4 mm Greater than 4 mm No Teeth	n CEJ to Bone Cree Visual Normal bone h Between norm Excessive bone	Lower Lo	Anterior m than 7 mm sth Bleeding e Anterior m n an 2 mm m th ay Anterior nan 2 mm n r than 4 mm eth an a 2 mm n n r than 4 mm	77777777777777777777777777777777777777	Low Reserved Action of the second sec	er Left sthan 5 mm mm ater than 7 mm teeth Bleeding er Left sthan 2 mm mm Teeth sthan 2 mm teeth sthan 2 mm mm teet han 4 mm	



REPORT OPTIONS - PERIO

Once the data input form for the Perio risk assessment is completed, select from the following options to be included in the report:

Report Settings	
Treatment Options	Do you wish to indicate the use of laser therapy?

Treatment Options

This is a selectable feature and, if the box is checked, suggested treatments will be included in the report.

To help maintain or improve the health of your gums:
Pockets less than 5mm
Pockets that are less than 5mm deep can have the most thorough removal of bacteria and calculus. However, all deep pockets were at one time less than 5mm with the optimal probing depth being 3mm or less.
Pockets 5-7mm
Pockets in the 5 to 7 depth range cannot be cleaned with a toothbrush and floss, and professional cleaning instruments don't always reach the bottom of the pocket. Incomplete removal of plaque and calculus results in deeper pockets and tooth loss.

As noted on the report, these possible therapeutic recommendations will apply unless the patient is "stable and without inflammation." This exception is noted since a patient may have residual pocketing or bone loss but lack current inflammation, so active intervention is not needed in preference to maintenance procedures.

Do you wish to indicate the use of laser therapy?

If lasers are part of your armamentarium, you can check this box and an additional message will appear in the Treatment Recommendations section. Example:

Our office uses the latest in laser technology to ensure the best outcome for our patients. The use of lasers may influence which therapy is the most suitable for you.



THE PERIO PATIENT REPORT

Periodontal Disease Risk

The PreViser patient reports are designed to give the patient clear scores for oral disease risk and severity. For periodontitis, the report delivers a <u>scientifically validated</u> 1 to 5 score for perio risk. This score reflects the likelihood that the patient will develop periodontitis, or that existing perio severity will worsen. Example:




Periodontal Disease Severity

This score reflects current perio severity on a 1 to 100 scale where:

- A score of 1 is perfectly healthy mouth without bleeding, pocketing or bone loss;
- A score between 2 and 3 indicates sextant bleeding on probing (gingivitis) but no pocketing or bone loss;
- A score between 4 10 indicates mild periodontitis;
- A score between 11 36 indicates moderate periodontitis;
- A score between 37 100 indicates severe periodontitis.



Within each of these ranges the condition varies between localized to generalized, and each increment in the score represents a measurable improvement or deterioration in periodontal status. Example:



Hint: A patient who has experienced periodontitis and bone loss won't grow back that bone, so their score can never return to a score of "1." However, without inflammation, the patient can be considered "Stable" in the sense that they are not suffering from continuing deterioration or current inflammation.

Periodontal Disease Stability

This score reflects how long the patient has been stable with unchanged scores. The purpose of this score is to "reward" and motivate patients whose risk and severity scores are constant by having their stability continue to climb. The score will always start at a baseline of zero, and continue to rise at a maximum of 10 points per year, not exceeding 100 points which represents 10 full years of periodontal stability. The graphic below indicates that the patients' periodontal status has remained stable for 4 years. If the patient was stable for 4.5 years, the patient's score would be 45. If the patient's periodontal status regresses, or the patient's exhibits periodontal bone loss, the gum health stability score would reset to zero. Example:





Below is a brief guide on how to improve one's periodontal health:

Gum Disease and You.

Knowing your gum health scores is the first step in improving, or maintaining the health of your gums. Here are other simple steps you can take:

- Talk to your dentist about managing any factors that contribute to elevated risk of disease.
- Ask your dentist how gum disease may impact other serious health ailments such as heart disease, Alzheimer's, strokes and diabetes.

If Treatment Options were indicated to be included in Report Settings before the data was submitted to PreViser, those print, followed by the Clinical Inputs you provided that generated the scores shown on the report.

An example of the full Periodontal Disease Patient Report can be found in Appendix A.

The Perio assessment report can be view in either English or Spanish, depending on the option selected by clicking on the **Language** drop-down.



CARIES ASSESSMENT

From the Patient Details page, you can perform a caries risk and severity assessment by clicking the **Caries** link:

N	lew Assessment	
	Comprehensive Perio, Carles, and Oral Cancer	
	Perio	
	Caries	
	Oral Cancer	
	Health Questionnaires	
	Import Assessments	

Fill out the information required to perform a caries risk and severity assessment.

Caries	Model This Patient Save for Later Submit
am Date Prepared By 3/10/2021	Responsible Clinician
	Please select the dentist responsible for this patient's care from the list
1 or more teeth have an exposed root 🕚	
Yes No	
How many months has the patient been without primary	caries or an incipient carious lesion? ()
36 or more 24-35 12-23 1 or more teeth has had ca	
Bacteria culture includes elevated MS and/or LB level? (
Yes No No culture or test is available	
Please answer the following questio	ns (exclude third molars)
How many erupted teeth are present in the oral cavity?	
# of teeth 28	-
How many natural teeth have any type of restoration, inc	luding crowns and veneers?
∉ofteeth 0 (None)	•
How many natural teeth currently require treatment beca	ause of caries or a defective restoration?
# of teeth 0 (None)	•
0 (None) How many natural teeth have primary caries or an incipie	ent caries lesion? 🕚
0 (None)	ent caries lesion? 💿
0 (None) How many natural teeth have primary caries or an incipie o (teeth 0 (None)	ent caries lesion? ()
0 (None) How many natural teeth have primary caries or an incipie 0 (None) Check all that apply	ent caries lesion? ① Questions the patient can answer
0 (None) How many natural teeth have primary caries or an incipie 0 (None) Check all that apply	•
0 (None) How many natural teeth have primary caries or an incipie 0 (None) Check all that apply Clinical Conditions	Questions the patient can answer
0 (None) How many natural teeth have primary carles or an incipie of teeth 0 (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow	Questions the patient can answer Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day Image: Snacks or beverages containing sugar are consumed between meals 4 or more times per day
0 (None) How many natural teeth have primary carles or an incipie of teeth 0 (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day
0 (None) How many natural teeth have primary caries or an incipie ^o (teeth 0 (None) Check all that apply Clinical Conditions Oral hygiene improvement is needed Dry mouth or inadequate saliva flow Treatment History and Considerations	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products
0 (None) How many natural teeth have primary carles or an incipie of teeth 0 (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow Treatment History and Considerations • Dental care frequency is NOT as regular as advised	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for
0 (None) How many natural teeth have primary caries or an incipie o (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow Treatment History and Considerations • Dental care frequency is NOT as regular as advised Development problems or special health care needs Teeth have been extracted due to caries in last 36	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for last 6 months Xylitol products have been used 4 times daily for last 6 months Calcium & phosphate toothpaste have been used
0 (None) How many natural teeth have primary carles or an incipie of teeth 0 (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow Treatment History and Considerations • Dental care frequency is NOT as regular as advised Development problems or special health care needs Teeth have been extracted due to carles in last 36 months	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for last 6 months Xylitol products have been used 4 times daily for last 6 months Calcium & phosphate toothpaste have been used
0 (None) How many natural teeth have primary caries or an incipie 0 (None) Check all that apply Clinical Conditions • Oral hygiene improvement is needed Dry mouth or inadequate saliva flow Treatment History and Considerations • Dental care frequency is NOT as regular as advised Development problems or special health care needs Teeth have been extracted due to caries in last 36 months Fluoride varnish applied in last 6 months	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for last 6 months Xylitol products have been used 4 times daily for last 6 months Calcium & phosphate toothpaste have been used during last 6 months Recreational drug/alcohol use
0 (None) How many natural teeth have primary caries or an incipie Image: Image	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for last 6 months Xylitol products have been used 4 times daily for last 6 months Calcium & phosphate toothpaste have been used
0 (None) How many natural teeth have primary caries or an incipie Image: Image	Questions the patient can answer Snacks or beverages containing sugar are consumed between meals 4 or more times per day Patient drinks fluoridated water Nonprescription or prescription fluoride products other than water are used Chlorhexidine used for at least 1 week per month for last 6 months Xylitol products have been used 4 times daily for last 6 months Calcium & phosphate toothpaste have been used Recreational drug/alcohol use Has had a major change in health (heart attack, stroke,



REPORT OPTIONS - CARIES

Once the data input form for the caries risk assessment is completed, select from the following options to be included in the report:

Report Settings	
Treatment Options	

Caries Risk

The PreViser patient reports are designed to give the patient clear scores for oral disease risk and severity. For caries, the report delivers a 1 to 5 score for caries risk based on the Caries Management by Risk Assessment (CAMBRA) approach to risk determination. This score reflects the likelihood that the patient will experience new caries, or that existing restorations will become defective. The Clinical Suite caries risk method expands the concept of CAMBRA, which predicts primary caries, to include secondary caries. Example:

In this example, the patient presents with a high risk of new defects and would then be a prime candidate for adult sealants, fluoride treatments and regular dental care. This score can be used to help the patient understand why professional oral care is so important.



Restorative Needs Score

This score reflects the current status of the dentition on a 1 to 100 scale where:

- A score of 1 is a pristine dentition without carious lesions or any restorations.
- A score between 2 and 9 is a sound dentition with no current defects but with an increasing percentage of the total dentition in a restored state as the score increases from 2 to 9.
- A score between 10 and 100 represents a dentition with current active treatment needs, either due to a new carious lesion or because an existing restoration is defective. As the score becomes greater, a greater percentage of the total dentition is affected by a defect. A score of 100 would indicate that all teeth in the dentition have a defect.
 - Example: If a patient has only one tooth remaining, and that tooth had a lesion, the restorative needs score would be 100. When restored, the score would drop to 9.
 - Example: If a patient has a full dentition, and one tooth had a lesion the restorative needs score would be 10. When restored, the score would drop to 2. Example:



In this example, the patient presents with Moderate Needs as indicated by a restorative needs score of 19. This equates to up to three defects that require therapeutic intervention.



In addition to a risk and restorative needs score, the caries patient report includes other elements of interest:

Tooth Health and You

This section gives the patient a quick summary of strategies that can help improve their oral health. Example:

Tooth Health and You.

Knowing your risk of tooth decay and the current health of your teeth is the first step in maintaining or improving the health of your teeth. Here are the other simple steps you can take

- Talk to your dentist about managing the risk factors that may contribute to tooth decay
- Brush twice a day with fluoride toothpaste
- Clean between your teeth daily with floss or an interdental cleaner

Treatment Options

As discussed above, this section of the report describes the preventive activities that may be helpful to improving the patient's oral health. It can be optionally printed by checking the box in the Report Settings section.

An example of the full Caries Patient Report can be found in Appendix A.

The Caries assessment report can be view in either English or Spanish, depending on the option selected by clicking on the **Language** drop-down.



ORAL CANCER RISK ASSESSMENT

From the Patient Details page, you can perform oral cancer risk assessment by clicking **Oral Cancer**:

Ν	ew Assessment	
	Comprehensive Perio, Caries, and Oral Cancer	
	Perio	
	Caries	
C	Oral Cancer	
	Health Questionnaires	
	Import Assessments	

Fill out the information required to perform an oral cancer risk and severity assessment:

	Assessment for New Citizen ral Cancer		Model This Patient	Save for Later	Submit
Exam Date 03/11/2	021 🗖 🗮	Prepared By	Ple	ponsible Clinician ase select the dentist respo ient's care from the list	onsible for this
	al History 1				
Has the	rette Smoking e patient smoked cigarettes? (r Smoked Have/Has Smoked	9			
Has the	S/Cigars e patient smoked pipes or ciga r Smoked Have/Has Smoked	rs? 🕕			
Has th	keless (Chewing) To e patient used smokeless (chew r Used Have/Has Used				
Alcoł	nol Use				
Note: 1 c	frink equals				
Beer	12 ounces or 355 milliliters	5% alcohol			
Wine	5 ounces or 150 milliliters	12% alcohol			
Spirits	1.5 ounces or 45 milliliters	40% alcohol			
None	er of drinks consumed in the p 1 or more : Settings	ast year 🕕			
V 1	reatment Options				
ivacy End	d User License Agreement			Copyright PreViser 2003	-2021 All Rights Re

REPORT OPTIONS – ORAL CANCER

Once the data input form for the Perio risk assessment is completed, select from the following options to be included in the report:

	Report Settings
	Treatment Options
L	



Oral (Mouth) Cancer Disease Risk

PreViser patient reports are designed to give the patient clear scores for oral disease risk and severity. For oral cancer, the report delivers a risk score from 1 to 5. This score reflects the possibility that the patient will experience an oral cancer lesion. Example:



Note: Because a person has elevated risk for mouth cancer does not mean they are likely to experience this terrible, if infrequent, disease. Rather, it means that they have exhibited risk factors that increase the possibility of developing the disease. It is helpful to explain to a patient that just because your home is at elevated risk for catching on fire due to the proximity of flammable brush or trees surrounding the home it doesn't mean the house will catch on fire - just that the risk factors increase that possibility. The oral (mouth) cancer risk score is designed to encourage the patient to reduce the risk factors associated with the disease, like the use of smokeless tobacco or alcohol.

A brief discussion of Oral Cancer and You is provided. Example:

Oral Cancer and You.

Am I at risk?

Anyone can get oral cancer. The most common factors for oral cancer are:

- Over 40 years of age
- Use of any type of tobacco product
- Regularly drink alcohol
- Exposure to the HPV virus

How do I reduce my risk?

Lifestyle factors like tobacco, alcohol use and poor dental hygiene can be managed with a subsequent reduction in the risk of mouth cancer. In addition, recent research has indicated that exposure to the HPV 16 virus that can be sexually transmitted is a significant risk factor for oral cancer, and may be responsible for the increasing incidence of mouth cancers in younger populations.



If you select **Treatment Options** in **Report Settings** before submitting the clinical data to generate the report, those recommendations will be included. **Clinical Inputs** will also display and can be printed optionally to help guide the patient on what risk factors may be elevating their risk scores.


An example of the full Oral Cancer Patient Report can be found in Appendix A.

The Oral Cancer assessment report can be view in either English or Spanish, depending on the option selected by clicking on the **Language** drop-down.



COMPREHENSIVE ASSESSMENT

The comprehensive assessment includes the questions and a 'What's Changed' section from all three assessments (caries, perio, and oral cancer). It would typically be done as the first PreViser assessment on a patient; or when a patient first presents for services; or on request from an insurer. It combines the caries, perio and oral cancer assessments into one document, and while it takes time to complete, provides a comprehensive guide to the complete treatment plan a new or existing patient will benefit from.



An example of the full Comprehensive Patient Report can be found in <u>Appendix A</u>.

The Comprehensive assessment report can be view in either English or Spanish, depending on the option selected by clicking on the **Language** drop-down.

RETURN OF BENEFITS

Some insurance carriers offer a return of benefits after an assessment has been completed for a <u>verified</u> <u>patient</u>. This feature offers the dental office and clinician chair-side return of benefits which includes maximum allowance, remaining allowance, limitations and enhanced benefits if a patient qualifies for additional benefits based on the patient's Clinical Suite scores, to name a few.

CHECK BENEFITS

After assessment has been submitted, the top of the report will display a **Check Benefits** button for a verified patient. *Note: This button will not display for a patient with no insurance, or a patient who has an insurance carrier that does not support this feature.* In order to access the benefits of the patient, click the **Check Benefits** button at the time the report is generated. The **Check Benefits** button will not display on previous assessment reports.



Assessment for Sara Tester Comprehensive	🏶 Language 🔻	🗭 Edit	: • 🕐 Share •		
End of August (604) 111-2222 78 PreViser Way Concord, HI 03303	Exam Information Prepared For: Sara Tester Prepared By: 1 Exam Date: 09/21/2021 Submitted To: No Insurer Selected ① 09/21/2021 10:53 AM				
	Check Benefits Home	Care Report	Clinical Inputs		
Oral Disease and You					

BENEFIT RETURN DISPLAY:

When you click **Check Benefits**, the current benefits of the verified patient displays:

Information displayed on this w even retroactively, based on inf payment.							
	ormation provided by the						
nhanced Benefits pro	wided by Mock D	alta Dontal					
Group: Participates in HOW * This group participates in the individual: ** This individual has additiona information on what these addi	l benefits for CARIES and	PERIO through th		ough Oral Welli	ness program.	н	HOW [.] EALTH through RAL WELLNESS
ligibility and Benefits							
0 ,	Mock Delta Dental						
Company Providing Coverage:	Mock Delta Dental 03/11/2021 10:56 AN	1					
Company Providing Coverage: Today's Date:			vice plus Pren	nier Choice Ma	ximizer		
Company Providing Coverage: Today's Date: Plan Type: Coverage Level:	03/11/2021 10:56 AN PPO Experience Rate Individual		vice plus Pren	nier Choice Ma	ximizer		
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum:	03/11/2021 10:56 AN PPO Experience Rate Individual 30		vice plus Pren	nier Choice Ma	ximizer		
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age	03/11/2021 10:56 AN PPO Experience Rate Individual		vice plus Pren	nier Choice Ma	ximizer		
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age	03/11/2021 10:56 AN PPO Experience Rate Individual 30	d - Master of Ser	·	nier Choice Ma	ximizer		
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum:	03/11/2021 10:56 AN PPO Experience Rate Individual 30 26	d - Master of Ser Pati	ent		ximizer	Tormination	Date
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum: Name	03/11/2021 10:56 AM PPO Experience Rate Individual 30 26 Relationship	d - Master of Ser Pati Birthday	ent E	ffective Date	ximizer	Termination	Date
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum: Name	03/11/2021 10:56 AM PPO Experience Rate Individual 30 26 Relationship Self	d - Master of Ser Pati Birthday 05/25/1995	ent E	ffective Date 01/01/2019	ximizer	Termination Active	Date
Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum: Name	03/11/2021 10:56 AM PPO Experience Rate Individual 30 26 Relationship Self	d - Master of Ser Pati Birthday	ent E	ffective Date 01/01/2019 - 12/31/2019)	ximizer tal Premier	Active	Date
ligibility and Benefits Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum: Name New Citizen Service Type	03/11/2021 10:56 AM PPO Experience Rate Individual 30 26 Relationship Self	d - Master of Ser Pati Birthday 05/25/1995 Is (Benefit Period	ent E	ffective Date 01/01/2019 - 12/31/2019)		Active	

ADDITIONAL ENHANCED BENEFITS INFORMATION:

After the benefit return displays, you also have the option to expand on the enhanced benefit plan design for the patient, by clicking **Click Here**, as seen below. The copy button copies the text in the Additional Benefits window allowing you to paste it for reference later.



Information for New Citizen p Benefits	rovided by Mock Delta Dental	
Information displayed on this webs even retroactively, based on inform payment. Enhanced Benefits provid Group: (Parosec nitor) * This group participates in the Heat Individual: ** This individual has additional be information on what these addition	This individual has additional benefits for both PERIO through the Health through Oral Wellne which includes the caries susceptibility test (D0 12 month period; prophy codes (D1120, D1110 combination up to 4 per 12 month period or pr year; and Full Mouth Debridement (D4355) one which counts toward the frequency for cleaning treatments (D1206/D1208) with on age restrict	ss program, 425) once per 1, D4346, D4910) re ger lifetime, gs. Fluorde ions- er calendar er calendar
Eligibility and Benefits Company Providing Coverage: Today's Date: Plan Type: Coverage Level: Dependent Age Maximum: Student Dependent Age Maximum:	primary molars and for unrestored permanent molars; and either one Nutritional Counseling (n Tobacco Cessation Counseling (n) 1320) or Oral Instruction (D1330) is covered in a 12 month per PPC Ind 30 26 Copy	bicuspids and (D1310) or Hygiene

Note: The return of benefits information can only be accessed at the time the finished report has been completed and the Clinical Suite report displays. In other words, you cannot access the return of benefits on any saved reports, because the benefits may not be current.

SUBMITTED TO INSURER STATUS:

This reports the date, time, and insurance company to which the assessment was submitted.

<	Assessment Perio	for Sara Tester	🌐 Lai	nguage -	🕑 Edit 🕶	💽 Share 🕶
		End of August (604) 111-2222 78 PreViser Way Concord, HI 03303	Exam Information Prepared For: Sara T Prepared By: Exam Date: 10/18/2 Submitted To: PreVis	r 2021	15:18 PM	
			Check Benefits	Home Care	Report Clinic	al Inputs

If no insurance for that patient is selected, it should state "no insurer selected."



Assessment for Sara Tester Comprehensive	🕀 Language 👻 🔀 Edit 👻 💽 Share	•
End of August (604) 111-2222 78 PreViser Way Concord, HI 03303	Exam Information Prepared For: Sara Tester Prepared By: Exam Date: 09/21/2021 Submitted To: No Insurer Selected O 09/21/2021 10:53 AM Check Benefits Home Care Report Clinical Inputs	

PRACTICE REPORTS

You can use Practice Reports to identifying high-risk patients and helping schedule recare appointments.

Select the **More** dropdown arrow in the top header, then select **Practice Reports**.

PREVISER Clinical Suite	e 😤 Patients 🔻	+ More -	💄 Manipal Mile Manipa Terr 🔹 Products 👻 😧
Browse Pat	lante	Le Practice Reports	Import Patients New Patient
Drowse Par	lents	Baved Assessments	Import Patients
	Status	? ≡ Settings	
Search	Active	3 Support	

Gind Perio	his? Check out PreViser Analytics			
Show 5 + entries	Email 1	Assessment Date	Risk Score	Disease Score
Smith, Todd	toddsmith@aol.com	09/10/2021	5	52
Kurt, Jordan		03/09/2021	3	13
Daniels, Jack		03/08/2021	1	1
, , , , ,		03/08/2021	1	1
Brave, Toby		05/00/2021		



These reports can be organized by assessment type, assessment date, risk scores, and patient names. Organize the reports by assessment date to see when patients may be due for a follow up risk assessment and then reach out to schedule an appointment.

ENTERPRISE FEATURES

CUSTOMIZING INDIVIDUAL REPORTS

Enterprise users can customize **the individual assessment** reports for all four assessment types.

On the assessment report page in PreViser Clinical Suite 5, click on the *Customize* link under the *Edit* drop-down menu to display the *Customize Assessment* page.

Assessment Perio	for Peter Pan	⊕ Language -	🕑 Edit 👻	💽 Share 🔻
1	Sunspot Dental (603) 603-6053 22 SeaShell Drive Anytown, FL 03303	Exam Information Prepared For: Prepared By: Pat Te Exam Date: 11/15/20 Submitted To: PreVis		
		Check Benefits	Home Care Report	
		Clinical Inputs		

The *Customize Assessment* page will be displayed. Click on the *More Info* link in the top section of the page for detailed information on how to customize reports or watch some videos explaining the feature.

Customize Assessment for Perio	⊕ Language ~	✔ Done
FEnterprise Feature: Modify what is displayed on this Oral Health Risk Assessment. Mo	pre info	
You can use this feature to change the text or add information to the Oral Health Risk values here will change only this single assessment. You can change all default values		0 0
Enterprise Solutions © REPORT CUSTOMIZATION FOR AN INDIVIDUAL REPORT		

Each of the sections framed with purple dashed box can be customized or hidden:



Talk to your dentist about managing any factors that contrib	aining the health of your gums. Here are other simple steps you can take: bute to elevated risk of disease. s health ailments such as heart disease, Alzheimer's, strokes and
Cum Disease Risk Score	Cum Disease Score
2 out of 5 *Lower score is better	out of 100 * Lower score is better
1 2 3 4 5 Very Low Risk Moderate Risk Very High Risk	1 2-3 4-10 11-36 37-100
The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may worsen resulting in infection and inflammation of your gums and the possible loss of teeth.	Congratulations! Your score indicates your gums are healthy.

To begin customizing a section, click within the framed section. A popup window will open, where the user will be able to enter and format the desired text.

Customize Gum Disease Risk Score Section	×
The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may worsen resulting in infection and inflammation of your gums and the possible loss of teeth.	
Hide Section Reset to Default Cancel Save	_//

The section can be hidden from the report by clicking on the **Hide Section** button.

If the text was previously customized, the user may want to revert it to the default PreViser content. That can be done by clicking on the **Reset to Default** button.

Click on the **Save** button to confirm the section customization, or on the **Cancel** button to disregard the changes.

After all the desired sections are customized, click on the **Done** button in the top right-corner of the page:



Customize Assessment for Customize Assessment	uage -	✓ Done
★ Enterprise Feature: Modify what is displayed on this Oral Health Risk Assessment. More info		
You can use this feature to change the text or add information to the Oral Health Risk Assessment that is important for values here will change only this single assessment. You can change all default values for assessments in settings. Lea		00
REPORT CUSTOMIZATION FOR AN INDIVIDUAL REPORT		

NOTE: Following the steps above will customize only that single report. All other reports will not reflect the customizations.

CUSTOMIZING ASSESSMENT DEFAULTS

If your practice would like to customize all the assessment reports in the same way as described in the previous section the easiest way to do it is to customize assessment defaults. After the defaults are customized, all the assessments submitted going forward will have the customization.

The Assessment Defaults page can be accessed in the following way:

- Click on the More drop-down list in the top navigation bar
- Click the *Settings* link
- Click on the Assessment Defaults tab

PREVISER Clinical Suite - QA ONLY 🛛 😕 Patients 🔻	🛨 More 👻 🔷 💄 st	unspotQa > Pat Testerson ▼	Products 👻 💡
Options / Settings	Practice Reports		🌐 Language 🝷
	Saved Assessments		÷88-
General Options Assessment Defaults	≝ Settings		
	Support		
★ Enterprise Feature: Modify what is displayed on ALL	. Oral Health Risk Assessr	nents More info	
Perio			•
Caries			•
Oral Cancer			•
Comprehensive			•

An alternative way to display the *Assessment Default* page is to click on the *change all default values* link in the *More Info* section of the *Customize Assessment* page:



Customize Assessment for Perio	🖨 Language 🝷	🗸 Done
Enterprise Feature: Modify what is displayed on this Oral Health Risk Assessment. More info		
You can use this feature to change the text or add information to the Oral Health Risk Assessment the values here will change only this single assessment. You can change all default values for assessmer Enterprise Solutions		00
REPORT CUSTOMIZATION FOR AN INDIVIDUAL REPORT		

On the *Assessment Defaults* page, click on the *More Info* link in the top section of the page for detailed information on how to customize assessment defaults or watch some videos explaining the feature:

Options / Settings #Lan		
General Options	Assessment Defaults	
r Enterprise Feature	: Modify what is displayed on \imath	ALL Oral Health Risk Assessments More info

The customizable sections for each report type can be modified by expanding the assessment type section and clicking on the section that needs to be updated.

Note: Even though the assessment defaults have been customized, the user can still override the section text of the individual assessment reports.



< Options / Settings

Options / Settings	🌐 Language -
Perio	*
Gum Disease and You. Knowing your gum health scores is the first step in improving, or maintain • Talk to your dentist about managing any factors that contribut • Ask your dentist how gum disease may impact other serious h diabetes.	te to elevated risk of disease.
Gum Disease Risk Score	Gum Disease Score
out of 5 Lower score is better	out of 100 Lower score is better
1 2 3 4 5 Very Low Risk Moderate Risk Very High Risk	1 2-3 4-10 11-36 37-100
The gum disease risk score describes the inkelihood that without appropriate home and professional care, the health of your gums may worsen resulting in infection and inflammation of your gums and the possible loss of teeth.	Congratulations! Your score indicates your gums are healthy.

A popup window will open, where the user will be able to enter and format the desired text:

Custom	nize Gum Disease Risk Score Section ×	
1	The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may	
2	The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may	
3	The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may	
4	The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may	
5	The gum disease risk score describes the likelihood that without appropriate home and professional care, the health of your gums may	
Hide S	ection Reset to PreViser Defaults Cancel Save	

The section can be hidden from the report by clicking on the **Hide Section** button.

If the text was previously customized, the user may want to revert it to the default PreViser content. That can be done by clicking on the **Reset to Default** button.



PATIENT IMPORT

The Enterprise addition of the PreViser Clinical Suite supports bulk import of patients. The feature enables you to save data entry time by importing patient data from your practice management system or other database application.

The *Import Patients* page can be accessed in the following way:

- Click on the *Patients* drop-down list in the top navigation bar
- Click the Import Patients link

On the *Import Patients* page, click on the *More Info* link in the top section of the page for detailed information on how to initiate a patient import or watch some videos explaining the feature:

Import Pa	itients
★ Enterprise Feature: S info	ave data entry time by importing patient data from your practice management system or other database application. More
Patients imported he	re will appear in your patient list. Learn more about PreViser Enterprise Solutions
O IMPORTING PATIEN	ITS FROM YOUR PRACTICE MANAGEMENT SYSTEM

To import patients, follow the steps outlined on the *Import Patients* page. Start by clicking on the **Start New Import** button:

Steps to Import Patients from a CSV or Tab-Separated file:

- 1. Review the file format requirements
- 2. Export the data from your practice management system
- 3. Upload the data to PreViser
- 4. Review and confirm your data upload
- 5. Add your contact information and submit

Previous Imports	Start New Import

PreViser accepts patient imports via CSV or tab-delimited text file uploads. The required fields include:

First Name, Last Name, Date of Birth, Gender Patient Identifies as

Optional fields include:

Email Address, Practice Management Patient ID



The steps to import patients are explained in more detail on the subsequent screens. Click on the **Next** button to get to the next step.

K New Import Step 1. Review the file format requirements
PreViser accepts patient imports via CSV or tab-delimited text file uploads Required fields include: First Name, Last Name, Date of Birth, Gender Patient Identifies as Optional fields include: Email Address, Practice Management Patient ID More About Fields (Columns can be in any order, but the following order is preferred) Example (With header row)
Step 2, Export the data from your practice management system
 Tips for exporting patient data from your practice management system Before you export your file from your practice management system or database application, take a look at their FAQs or support page for instructions on how to save as a CSV or tab-delimited text file. It's a standard export format, but since every application is different, the steps will vary. You can also export data as a CSV from most spreadsheet applications. After you have a CSV or tab-delimited text file of your patients, open it in a spreadsheet, like Microsoft Excel, to arrange the columns for import into PreViser. PreViser accepts two types of file formats for importing patient data
 A CSV file is a text file with commas separating each column of text. CSV files should end with a .csv extension. A tab-delimited file is a text file that's set up with a tab separating each column of text. Tab-delimited files should end with either a .txt or .tsv extension.
Note: Each file sent should contain only records from a single practice location. If you have more than one practice location, you should use one CSV per location.
 Follow the instructions from your practice management system to create a custom report and export as CSV Dentrix Ascend EagleSoft Other (Please consult your system's documentation)
Back Next
The first record of the uploaded file can contain the column titles. If that's the case, check the File

contains header row checkbox on the Step 3 screen:



Kew Step 3. Up	Import load the data to Pre	Viser				
Choose the C	CSV or tab-delimited	l text file that yo	ou have exported	d from your practice	managemen	t system.
.csv or .txt Data File contains Back		tlmport_10112'	1.txt		Browse	
	nd confirm your data uplo		hat you would like to	import into the PreViser (Clinical Suite. Mo	re info
Search						
Show 5 + entries						
Row # ↑↓	LName	FName	Gender	BirthDate	PatID	ProvID
1	Testerson	Ariel	F	5/19/1975	5173	XX24
Showing 1 to 1 of 1 en	_				Prev	vious <mark>1</mark> Next

In step 5, please indicate the best contact information for PreViser to reach out to you in case of any questions pertaining to the imported data.

Click on the **Submit** button to submit the import request. PreViser will process the import and notify you it has been completed within five business days.



K New Imp Step 5. Add your o	Ort contact information and submit
Please provide your	contact information in case there are any questions regarding your import request.
Name	
Phone	
Email	name@example.com
Practice Management Software	eg. Dentrix Ascend
Back Subm	it

After the import is submitted, you can view the status by clicking on the **Previous Imports** button on the initial *Import Patients* page:

Previous In	nports			
Please allow 5 business	days from the date your	request was submitted for processing.		
Show 5 ¢ entries				
Submitted On $\uparrow \downarrow$	Submitted By	Data File Name	Status 1	Patients Imported 1
11/17/2021 5:01 PM	Pat Testerson	TestPatientImport_101121.txt	Pending	
Showing 1 to 1 of 1 entries				
				Previous 1 Next

When the import is processed, you will be able to see:

- which patients have been imported
- which patients had missing required data
- any duplicate patients



This page	e provides a su	ummary of the da	ta which was imp	orted. More info				
earch		Status All	•					
how 5 ¢	entries							
Row# ↑↓	Status 斗	First Name $\uparrow\downarrow$	Last Name 斗	Date of Birth $\uparrow\downarrow$	Gender $\uparrow\downarrow$	Email	1 PMS Patient I	Dî↓
1	Imported	L		8/7/1969	F			
2	Invalid				F			
3	Imported		ş	1983-05-16	М			
4	Invalid				F			
5	Imported	1		9/18/2001	Μ			

The Import Summary grid can be downloaded to facilitate correcting invalid records. The file with the corrected records can be re-imported into PreViser Clinical Suite.

PREVISER ANALYTICS

With the PreViser Analytics module, the providers can gain visibility into the overall scores of the patients and the performance of the practice. Analytics is a highly customizable report platform with the data updated every night.

To access PreViser Analytics, click on the *Product* menu on any page of PreViser *MyAccount* or *Clinical Suite* 5:



PreViser Analytics contains two main sections:



Overall clinical assessment usage (reports by clinician or in case of multiOlocation dental organization, by practice)

PREVISER Analytics	
Usage	
Totals	
by Location	
by Clinician	
User Rankings	
Details	
Perio	
Caries	
Oral Cancer	

Score distribution for each of the assessment kinds (caries, perio and oral cancer)

PREVISER Analytics

Usage	
Perio	
Risk	
Disease	
Stability	
Caries	
Oral Cancer	




Most of the report criteria can be specified with the Filters accessible throughout Analytics. The available filters include, but are not limited to:

- date range
- frequency (daily / monthly, ...)
- assessment kind
- clinician that performed the assessment
- location



From each of the main reports, the user can drill down to the actual assessments submitted in the PreViser Clinical Suit by clicking on the result rows in the data section of the graph:



PREVISER Analytics

Ben Morton > ▼ Products ▼ ?


Perio Search:								Export		
Caries				D		Patient		ries	Restorative	
Risk	Date 11	Location $\uparrow\downarrow$	Type 1↓	Prepared by	î↓			sk î		1
Needs	10/15/2021	Pearl Dental	Caries				5		10	
Oral Cancer	10/13/2021	r can Dentai	canes				5		10	
Filters	10/13/2021	Pearl Dental	Comprehensive				5		15	
	10/12/2021	Pearl Dental	Comprehensive				5		10	
01/01/2021	10/06/2021	Pearl Dental	Comprehensive				5		26	
12/31/2021							-			
irst Time	09/28/2021	Pearl Dental	Comprehensive				5		24	
All selected (2) 🗢	09/27/2021	Pearl Dental	Caries				5		16	
ocations	00/20/2021	Pearl Dental	Comprehensive				5		14	
Primary 🕈	08/30/2021	Pearl Dentai	Comprehensive				2		14	
Clinicians	08/10/2021	Pearl Dental	Caries				5		20	
All selected (2) 🗢										

Reset filters




APPENDIX A – REPORTS

PERIO REPORT





CARIES REPORT





ORAL CANCER REPORT

PREVISER Clinical Suite - QA ONLY 🛛 🖶 Patients *			🌲 august3021 >	
Assessment for Sara Tester Oral Cancer		🖶 Lenguage	• 🛛 🖉 Edit •	(🕈 Share *
End of August (dba) 11:2222 78 Perkine Way Carcood, H (2303)		Exam Information Prepared For. Sara Tester Prepared By: Exam Date: 10/25/2021 Submitted To: PreViser QA 10 Check Benefits Clinic	/25/2021 9.16 AM cal inputs	
Oral Cancer and You. An Istrak? Anyone can get oral cancer. The most common factors • Over 40 years of age • Use of any type of tobacco product. • Regularly drimk alcohol • Exposure to the HPV virus.				
Lifestyle factors like tobacco, alcohol use and poor dent addition, recent research has indicated that exposure to may be responsible for the increasing incidence of mou	the HPV 16 virus th	at can be sexually transmitted	uction in the risk of mou is a significant risk factor	for oral cancer, and
	e Risk Modera	tter 3 4 5 ter Rise Wey High Rise		
What Changed? The information below shows your scores over time.				
Oral Cancer Risk Score	1925/2021			
To help reduce your risk of oral cancer:				
Construction of the second sec	ettes, cigars, pipe or o can damage the s mbinations of these e who neither smok i on effective strateg	oft tissue of the mouth and this activities can increase your risk e nor drink alcohol. If you wish	s damage can lead to can of developing mouth can to quit smoking and nee	icer. If you use incer by up to d help, your
The degree to which alcohol use dink. If you drink more than three alcoholic beverages daily, your risk	an increase your ris e alcoholic beverage	is a week, your risk will increase	ay how much and how fri slightly. If you drink two	equent you or more
	What C	an I Do?		
Your participation i important. The read common behavior and hypere nutrition, and re- hypere nutrition, and re- hypere nutrition, and re- hypere nutrition.		a Visit i Regula early at case ta	the dentist more fre visits to the dentist to deh ages can prevent more con ent. Better still are regular v geted to your risk factors.	quently, ect disease in the plex and expensive eats for preventative
	d or white patch, uloe d idea to point this ou u wait the more com c, the worse your outc	Airing, or pain in your mouth that is soon as possible to your dent plot and expensive the treatment orne may be.	t lasts longer than three al professional. Don't put th can become, and if the	a.
Additional Resources				
There are many public resources available if you have on tobacco, or limiting your alcohol consumption. Here are Smokefree resolutions and	uestions about oral just a few:	National Cancer Institute		
smokefree gov Oral Cancer Foundation oralcancerfoundation.org		www.cancer.gov/types/head-an American Cancer Society www.cancer.org/cancer/bral-ca		icer.html
Privacy End User License Agreement			Copyright PreVis	er 2003-2021 All Rights Reserved



COMPREHENSIVE REPORT

For clarity, the illustration has been divided into two sections.

